

REMOTE INDICATING TANK CONTENTS GAUGE INTERNAL TRANSMITTER THROUGH TOP OF TANK



Bd` Ubs`eaXabWsf[a` ,
 FZW` fcd_ WfabWfW` fZWkVdafSf[Ubd` UZbS1
 i ZWVbdWgdWgWfa ZSVaX[cg[V|eWwWtkfZW
 Fd` e_ [ffW: WVS` Vfd` e_ [ffWh]SSUSb[Ž`SckfgTW
 fa fZW` V|USfady[h` YSua` f` gage`WwWdWV` Yz
 FZW`SgWWeeg[|ST`VWkd[` dS`Sf[a` a` S` keZSbWad
 e| VaxefadSYWwWZSf|eXWk hWwWfa
 Sf_ abZWV
 ;` dS`Sf[a` ,
 FZWd` e_ [ffW|eXffWfZchgYZfZWfab aXZWS`]|
 S` VfZW` V|USfadeZai efZWa` fWfeaX
 ^cg[VSTahWZWd` e_ [ffWZ
 ;` V|USfaceSdWdSVgSfWfa Ugefa_ WldWg[dW Wfd
 XSU[a` d`Ž#` , i`fdWYS`a` dfa` ead_ %
 WZ
 6[S`e| W#`" _ _ ad#(" _ _ žCgW[a` `S[dWC`S* _ gef
 TWa` b`WV

Standard Specifications:

;` V|ufad
 ? ag` fl` Y, EgdXUSW`ebZafa ad8`geZBS` W
 3UgdUK #,
 5SeV V4WVW% &EZF 4Ska` W`aU|` YTWV
 ? Wgd` Y7`W`WE, BZabad4da` lW
 9Sd| WWS, DgTW
 6[S;I Z|fV3`g_ |` g_ i |fZTSU _ Sd|` Ye

Ba|` fW 4SU Aj|VwW3`g_ |` g_
 I |` Vai , 9`Seel5`Wd3Uk|U
 ? ahW`WE, 4dSee

Fd` e_ [ffW/3`^DS` Wf
 4aM, 3UW^
 5a` `W|a` , & X` YW [fZfS`] i W|` Yd` Y
 EWd` Y7`W`WE, @|fd`W kvd`
 Fd` e_ [ffW/DS` WSTahW` fi
 4aM, %H Ef Ef
 5a` `W|a` , %X` YWfa eg|f
 EWd` Y7`W`WE, %H Ef Ef

5Sb|^Sd, S_ _ aZzUabbW| [Ua TadWgTW [fZ
 +_ _ aZzea|VT`SU BH5 bcfW|a` eZWFZ

Optional Specifications:

D|Y|V|` fW S`b|bWfa fd` e_ [ffW
 EfZEF Sd_ agdW5Sb|^Sd
 5gefa_ W`aYa a` V|S^

